

# Advanced Testing Monitors with Highest Quality and Resolution available with Variety of Size Options

## Rapport - I0HD/PRO


- ✓ Perfect for HD CCTV in limited space & field monitor.
- ✓ 10.05", 16:9 widescreen aspect ratio with the lossless quality
- ✓ VESA standard 4 holes on the back allows placing in car window or mounting to a wall.
- ✓ Dust protection optical bonding glass with AR/AG coating.
- ✓ Li-ion Polymer battery with 5000mA capacity runs 4 to 6 hours with battery.
- ✓ User-friendly GUI and intuitive and stylishly designed touch controls on the top of the sturdy aluminum case.
- ✓ USB port prepared for firmware update in case debugging or performance enhancement
- ✓ Superb connectivity with various surveillance equipment and peripherals with the HD-SDI, CVBS, VGA ports. And the HDMI port also gives uncompressed high quality video



266 W x 176 H x 38 D mm

- ✓ **On Site Configuration**
- ✓ **On Site Trouble Shooting**
- ✓ **Site Commissioning & Testing**
- ✓ **Customer Demo & Exhibition**
- ✓ **HD SDI Camera Test & Evaluation**

The multi format input monitor, Considered Best suited for office demo, HD SDI camera testing and evaluation, customer demo and exhibition, or field monitor for installation of the HD - SDI camera



### Rapport-I0HD



### Rapport-I0HD PRO




REC button



Recording (SD Card)



Recorded Files



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

- ① Power LED
- ② Indicate charging status
- ③ Power ON/OFF button.
- ④ Selection menu
- ⑤ Move and select menu.
- ⑥ MENU button
- ⑦ MODE button
- ⑧ REC button



# Rapport III / Rapport III-PRO

- ✓ 3.1" Color CCTV Field Monitor
- ✓ Video Signal Generator
- ✓ PTZ Protocol Analyzer
- ✓ Digital Multi-meter
- ✓ Test & Measure Voltage, Resistance and Continuity
- ✓ UTP Cable Tester
- ✓ Test for Direct & Cross cable continuity & discontinuity and Shorts on UTP cable
- ✓ Video Recorder
- ✓ Control for PTZ cameras (Pan, Tilt, Zoom and menu Setup). & analyzing control protocol if camera control by external device.
- ✓ DVR Mode (Rapport III-PRO only)
- ✓ MPEG4 Digital Video Recorder allows users to store video inputs on a SD card for future playback (Max. 10mins / 8files)



88 W x 126 H x 40 D mm



CCTV Field Monitor



PTZ Controller



PTZ Protocol Analyzer

- ✓ **PTZ Controller**
- ✓ **Multi-meter**
- ✓ **PTZ Protocol Analyzer**
- ✓ **Video signal generator**
- ✓ **CCTV Field Monitor**
- ✓ **UTP Cable tester**
- ✓ **Digital Video Recorder (Rapport III-PRO)**



Multi-meter



Video signal generation



UTP Cable tester



Digital Video Recorder (Rapport III-PRO)



# 5" & 7" Size 24/7 Testing Monitors

- ✓ On Site Configuration
- ✓ On Site Trouble Shooting
- ✓ Site Commissioning & Testing
- ✓ Customer Demo & Exhibition

TM7



195.6 W x 137.2 H x 35.6 D mm

- ✓ 7" TFT LCD
- ✓ 1440 x 234 Pixel Maximum Resolution
- ✓ Protective Case, Neck Strap and Wrist Holder
- ✓ 2 Video Inputs, 1 Video Out
- ✓ Full package of AC Adapter, Battery and Charger
- ✓ RCA to BNC Adapter included with Package
- ✓ 1 Audio input & 1 Output
- ✓ 120° Horizontal & 70° Vertical Angle of view
- ✓ 300 : 1 Contrast Ratio

TM5



169.4 W x 137.2 H x 35.8 D mm

- ✓ 5.6" TFT LCD
- ✓ 960 x 234 pixel Maximum Resolution
- ✓ Protective Case, Neck Strap and Wrist Holder
- ✓ 2 Video Inputs, 1 Video Out
- ✓ Full package of power Adapter, Battery & Charger
- ✓ RCA to BNC Adapter included with Package
- ✓ 1 Audio input & 1 Output
- ✓ 80° Horizontal & 100° Vertical Angle of view
- ✓ 250 : 1 Contrast Ratio

